



FREELANCER CARGO
FREELANCER FLAT TOP FLAT FRONT 10K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12
Model #	FI8412CNFB-100	FI8414CNFB-100	FI8416CNFB-100	FI8418CNFB-100	FI8420CNFB-100	FI10212CNFB-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" Extension, 6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)						Interior Recessed
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	7K Drop Leg, Frame Mounted, 7K Drop Leg, Frame Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 8" On-Center					
Front Profile	Flat					
Stabilizers	Rear Drop-Leg Jacks					
Rear Door	Barn-Style Double with Cambar					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Roof Vent Frame, Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Torsion Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel, Center Caps and Beauty Rings1					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Exterior Storage	(4) Ladder Racks		(5) Ladder Racks, (5) Ladder Racks			(4) Ladder Racks
Exterior Accessories	ATP and Engineered Wood Tongue Cover, Front Access Ladder					
Interior Walls	Engineered Wood					
Interior Trim	Engineered Wood Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) 48" 110V Wrap Around LED, (2) LED					
Switches	(1) 110V, (1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





FREELANCER CARGO
FREELANCER FLAT TOP FLAT FRONT 10K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					
110v Electrical	(1) Exterior GFI Receptacle, 30 Amp, 25 ft. Power Cord, 30 Amp Motor Base Plug, 30 Amp Service Panel, (4) Interior Receptacles					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



FREELANCER CARGO
FREELANCER FLAT TOP FLAT FRONT 10K

	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Model #	FI10214CNFB-100	FI10216CNFB-100	FI10218CNFB-100	FI10220CNFB-100
CAPACITIES				
GVWR (lbs)	9900			
GAWR (lbs/axle)	5000			
CHASSIS				
Frame	6" x 2" Steel Tube			
Tongue	6" Extension, 6" x 2" Steel Triple Tube			
Crossmembers	Formed Steel, 16" On-Center			
Integrated Step(s)	Interior Recessed			
Coupler	2-5/16" Adjustable			
Safety Chains	DOT Compliant			
Tongue Jack	7K Drop Leg, Frame Mounted, 7K Drop Leg, Frame Mounted			
Wall Studs	Steel Tube, 16" On-Center			
Roof Bows	Steel Tube, 8" On-Center			
Front Profile	Flat			
Stabilizers	Rear Drop-Leg Jacks			
Rear Door	Barn-Style Double with Cambar			
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback			
Vents	Roof Vent Frame, Sidewall Airflow			
Fenders	Aluminum Treadplate			
Axle	(2) 5200 lb. Torsion Brake			
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST225/75R15D 8-PR			
Wheels	15", 6-Hole Steel, Center Caps and Beauty Rings1			
Exterior Finish	.030" Aluminum			
Undercoating	Automotive			
Exterior Fastening	VHB Bonded (Screwless)			
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop			
Stone Guard	24" ATP			
Roof	Flat Top Seamless Aluminum			
Exterior Storage	(4) Ladder Racks		(5) Ladder Racks, (5) Ladder Racks	
Exterior Accessories	ATP and Engineered Wood Tongue Cover, Front Access Ladder			
Interior Walls	Engineered Wood			
Interior Trim	Engineered Wood Wall Transitions			
Ceiling	White ThermoPly®			
Flooring	3/4" Engineered Wood			
Interior Lights	(2) 48" 110V Wrap Around LED, (2) LED			
Switches	(1) 110V, (1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V			
Cargo Control	(4) 5000 lb. Recessed D-Rings			

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**FREELANCER CARGO
FREELANCER FLAT TOP FLAT FRONT 10K**

	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Connector Plug	Round 7-pin Blade			
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights			
110v Electrical	(1) Exterior GFI Receptacle, 30 Amp, 25 ft. Power Cord, 30 Amp Motor Base Plug, 30 Amp Service Panel, (4) Interior Receptacles			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



FREELANCER CARGO
FREELANCER FLAT TOP FLAT FRONT 7K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12
Model #	FI8412CNFB-070	FI8414CNFB-070	FI8416CNFB-070	FI8418CNFB-070	FI8420CNFB-070	FI10212CNFB-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" Extension, 6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)						Interior Recessed
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	7K Drop Leg, Frame Mounted, 7K Drop Leg, Frame Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 8" On-Center					
Front Profile	Flat					
Stabilizers	Rear Drop-Leg Jacks					
Rear Door	Barn-Style Double with Cambar					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Roof Vent Frame, Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Torsion Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel, Center Caps and Beauty Rings1					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Exterior Storage	(4) Ladder Racks		(5) Ladder Racks, (5) Ladder Racks			(4) Ladder Racks
Exterior Accessories	ATP and Engineered Wood Tongue Cover, Front Access Ladder					
Interior Walls	Engineered Wood					
Interior Trim	Engineered Wood Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) 48" 110V Wrap Around LED, (2) LED					
Switches	(1) 110V, (1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**FREELANCER CARGO
FREELANCER FLAT TOP FLAT FRONT 7K**

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					
110v Electrical	(1) Exterior GFI Receptacle, 30 Amp, 25 ft. Power Cord, 30 Amp Motor Base Plug, 30 Amp Service Panel, (4) Interior Receptacles					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



FREELANCER CARGO
FREELANCER FLAT TOP FLAT FRONT 7K

	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Model #	FI10214CNFB-070	FI10216CNFB-070	FI10218CNFB-070	FI10220CNFB-070
CAPACITIES				
GVWR (lbs)	7000			
GAWR (lbs/axle)	3500			
CHASSIS				
Frame	6" x 2" Steel Tube			
Tongue	6" Extension, 6" x 2" Steel Triple Tube			
Crossmembers	Formed Steel, 16" On-Center			
Integrated Step(s)	Interior Recessed			
Coupler	2-5/16" Adjustable			
Safety Chains	DOT Compliant			
Tongue Jack	7K Drop Leg, Frame Mounted, 7K Drop Leg, Frame Mounted			
Wall Studs	Steel Tube, 16" On-Center			
Roof Bows	Steel Tube, 8" On-Center			
Front Profile	Flat			
Stabilizers	Rear Drop-Leg Jacks			
Rear Door	Barn-Style Double with Cambar			
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback			
Vents	Roof Vent Frame, Sidewall Airflow			
Fenders	Aluminum Treadplate			
Axle	(2) 3500 lb. Torsion Brake			
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST205/75R15C 6-PR			
Wheels	15", 5-Hole Steel, Center Caps and Beauty Rings1			
Exterior Finish	.030" Aluminum			
Undercoating	Automotive			
Exterior Fastening	VHB Bonded (Screwless)			
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop			
Stone Guard	24" ATP			
Roof	Flat Top Seamless Aluminum			
Exterior Storage	(4) Ladder Racks		(5) Ladder Racks, (5) Ladder Racks	
Exterior Accessories	ATP and Engineered Wood Tongue Cover, Front Access Ladder			
Interior Walls	Engineered Wood			
Interior Trim	Engineered Wood Wall Transitions			
Ceiling	White ThermoPly®			
Flooring	3/4" Engineered Wood			
Interior Lights	(2) 48" 110V Wrap Around LED, (2) LED			
Switches	(1) 110V, (1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V			
Cargo Control	(4) 5000 lb. Recessed D-Rings			

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**FREELANCER CARGO
FREELANCER FLAT TOP FLAT FRONT 7K**

	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Connector Plug	Round 7-pin Blade			
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights			
110v Electrical	(1) Exterior GFI Receptacle, 30 Amp, 25 ft. Power Cord, 30 Amp Motor Base Plug, 30 Amp Service Panel, (4) Interior Receptacles			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.