



**QUAKE CARGO**  
**QUAKE FLAT TOP V-NOSE 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	FI10216TVSV-100	FI10218TVSV-100	FI10220TVSV-100	FI10222TVSV-100	FI10224TVSV-100
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	9900				
<b>GAWR (lbs/axle)</b>	5000				
<b>CHASSIS</b>					
<b>Frame</b>	6" x 2" Steel Tube				
<b>Tongue</b>	6" x 2" Steel Triple Tube				
<b>Crossmembers</b>	Formed Steel, 16" On-Center				
<b>Integrated Step(s)</b>	Interior Recessed				
<b>Coupler</b>	2-5/16" A-Frame				
<b>Safety Chains</b>	DOT Compliant				
<b>Tongue Jack</b>	2K Coupler Mounted				
<b>Wall Studs</b>	Steel Tube, 24" On-Center				
<b>Roof Bows</b>	Steel Tube, 24" On-Center				
<b>Front Profile</b>	V-Nose				
<b>Ramp(s)</b>	4000 lb. with Assist				
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback				
<b>Vents</b>	Sidewall Airflow				
<b>Fenders</b>	Aluminum Treadplate				
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake				
<b>Hubs</b>	Easy Lube				
<b>Breakaway</b>	Battery, Switch, and Lanyard				
<b>Tires</b>	ST225/75R15D 8-PR				
<b>Wheels</b>	15", 6-Hole Aluminum				
<b>Exterior Finish</b>	.030" Aluminum				
<b>Undercoating</b>	Automotive				
<b>Exterior Fastening</b>	Color Matching Screws				
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop				
<b>Stone Guard</b>	24" ATP				
<b>Roof</b>	Flat Top Seamless Aluminum				
<b>Interior Walls</b>	Engineered Wood				
<b>Ceiling</b>	Luan Strip				
<b>Flooring</b>	3/4" Engineered Wood				
<b>Interior Lights</b>	(1) LED				
<b>Switches</b>	(1) Dome Light, 12V				
<b>Connector Plug</b>	Round 7-pin Blade				
<b>Exterior Lights</b>	Full LED, DOT Compliant				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**QUAKE CARGO**  
**QUAKE FLAT TOP V-NOSE 3K**

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
<b>Model #</b>	FI6008TVSV-035	FI6008TVSV-030	FI6010TVSV-030	FI6010TVSV-035	FI7210TVSV-050	FI7210TVSV-030
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	3500	2990		3500	5000	2990
<b>GAWR (lbs/axle)</b>		3500			5200	3500
<b>CHASSIS</b>						
<b>Frame</b>	4" x 2" Steel Tube					
<b>Tongue</b>	4" x 2" Steel Tube					
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Coupler</b>	2" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	1500 lb. with Assist					
<b>Side Door</b>					32" Wide Flush Lock, Wire Holdback	
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake	5200 lb. Drop Spring Brake	3500 lb. Drop Spring Idler
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard			Battery, Switch, and Lanyard		
<b>Tires</b>	ST205/75R15C 6-PR				ST225/75R15D 8-PR	ST205/75R15C 6-PR
<b>Wheels</b>	15", 5-Hole Steel				15", 6-Hole Aluminum	15", 5-Hole Steel
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	Color Matching Screws					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Ceiling</b>	Lauan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade	Flat 4-pin		Round 7-pin Blade		Flat 4-pin

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**QUAKE CARGO  
QUAKE FLAT TOP V-NOSE 3K**

5 x 8

5 x 8

5 x 10

5 x 10

6 x 10

6 x 10

**Exterior Lights**

Full LED, DOT Compliant



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**QUAKE CARGO**  
**QUAKE FLAT TOP V-NOSE 3K**

	6 x 10	6 x 12	6 x 12	6 x 12	6 x 14	6 x 14
<b>Model #</b>	FI7210TVSV-035	FI7212TVSV-030	FI7212TVSV-035	FI7212TVSV-050	FI7214TVSV-035	FI7214TVSV-050
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	3500	2990	3500	5000	3500	5000
<b>GAWR (lbs/axle)</b>	3500		5000		3500	5200
<b>CHASSIS</b>						
<b>Frame</b>	4" x 2" Steel Tube					
<b>Tongue</b>	4" x 2" Steel Tube					
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Coupler</b>	2" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	1500 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	5200 lb. Drop Spring Brake	3500 lb. Drop Spring Brake	5200 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard		Battery, Switch, and Lanyard			
<b>Tires</b>	ST205/75R15C 6-PR			ST225/75R15D 8- PR	ST205/75R15C 6- PR	ST225/75R15D 8- PR
<b>Wheels</b>	15", 5-Hole Steel			15", 6-Hole Aluminum	15", 5-Hole Steel	15", 6-Hole Aluminum
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	Color Matching Screws					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Ceiling</b>	Lauan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade			
<b>Exterior Lights</b>	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**QUAKE CARGO**  
**QUAKE FLAT TOP V-NOSE 3K**

	6 x 14	7 x 12	7 x 12
<b>Model #</b>	FI7214TVSV-030	FI8412TVSV-030	FI8412TVSV-035
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>	2990		3500
<b>GAWR (lbs/axle)</b>		3500	
<b>CHASSIS</b>			
<b>Frame</b>	4" x 2" Steel Tube		
<b>Tongue</b>	4" x 2" Steel Tube		
<b>Crossmembers</b>	Formed Steel, 24" On-Center		
<b>Coupler</b>	2" A-Frame		
<b>Safety Chains</b>	DOT Compliant		
<b>Tongue Jack</b>	2K Coupler Mounted		
<b>Wall Studs</b>	Steel Tube, 24" On-Center		
<b>Roof Bows</b>	Steel Tube, 24" On-Center		
<b>Front Profile</b>	V-Nose		
<b>Ramp(s)</b>	1500 lb. with Assist	2500 lb. with Assist	
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback		
<b>Vents</b>	Sidewall Airflow		
<b>Fenders</b>	Aluminum Treadplate		
<b>Axle</b>	3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube		
<b>Breakaway</b>			Battery, Switch, and Lanyard
<b>Tires</b>	ST205/75R15C 6-PR		
<b>Wheels</b>	15", 5-Hole Steel		
<b>Exterior Finish</b>	.030" Aluminum		
<b>Undercoating</b>	Automotive		
<b>Exterior Fastening</b>	Color Matching Screws		
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop		
<b>Stone Guard</b>	24" ATP		
<b>Roof</b>	Flat Top Seamless Aluminum		
<b>Interior Walls</b>	Engineered Wood		
<b>Ceiling</b>	Lauan Strip		
<b>Flooring</b>	3/4" Engineered Wood		
<b>Interior Lights</b>	(1) LED		
<b>Switches</b>	(1) Dome Light, 12V		
<b>Connector Plug</b>	Flat 4-pin		Round 7-pin Blade
<b>Exterior Lights</b>	Full LED, DOT Compliant		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**QUAKE CARGO**  
**QUAKE FLAT TOP V-NOSE 7K**

	6 x 12	7 x 12	7 x 14	7 x 16	8.5 x 16	8.5 x 18
<b>Model #</b>	FI7212TVSV-070	FI8412TVSV-070	FI8414TVSV-070	FI8416TVSV-070	FI10216TVSV-070	FI10218TVSV-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	4" x 2" Steel Tube				6" x 2" Steel Tube	
<b>Tongue</b>	4" x 2" Steel Tube				6" x 2" Steel Triple Tube	
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Integrated Step(s)</b>					Interior Recessed	
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	1500 lb. with Assist	2500 lb. with Assist			4000 lb. with Assist	
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback				36" Wide Flush Lock, Wire Holdback	
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	Color Matching Screws					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Ceiling</b>	Luan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**QUAKE CARGO**  
**QUAKE FLAT TOP V-NOSE 7K**

**8.5 x 20**

<b>Model #</b>	FI10220TVSV-070
<b>CAPACITIES</b>	
<b>GVWR (lbs)</b>	7000
<b>GAWR (lbs/axle)</b>	3500
<b>CHASSIS</b>	
<b>Frame</b>	6" x 2" Steel Tube
<b>Tongue</b>	6" x 2" Steel Triple Tube
<b>Crossmembers</b>	Formed Steel, 24" On-Center
<b>Integrated Step(s)</b>	Interior Recessed
<b>Coupler</b>	2-5/16" A-Frame
<b>Safety Chains</b>	DOT Compliant
<b>Tongue Jack</b>	2K Coupler Mounted
<b>Wall Studs</b>	Steel Tube, 24" On-Center
<b>Roof Bows</b>	Steel Tube, 24" On-Center
<b>Front Profile</b>	V-Nose
<b>Ramp(s)</b>	4000 lb. with Assist
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback
<b>Vents</b>	Sidewall Airflow
<b>Fenders</b>	Aluminum Treadplate
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube
<b>Breakaway</b>	Battery, Switch, and Lanyard
<b>Tires</b>	ST205/75R15C 6-PR
<b>Wheels</b>	15", 5-Hole Steel
<b>Exterior Finish</b>	.030" Aluminum
<b>Undercoating</b>	Automotive
<b>Exterior Fastening</b>	Color Matching Screws
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop
<b>Stone Guard</b>	24" ATP
<b>Roof</b>	Flat Top Seamless Aluminum
<b>Interior Walls</b>	Engineered Wood
<b>Ceiling</b>	Luan Strip
<b>Flooring</b>	3/4" Engineered Wood
<b>Interior Lights</b>	(1) LED
<b>Switches</b>	(1) Dome Light, 12V
<b>Connector Plug</b>	Round 7-pin Blade
<b>Exterior Lights</b>	Full LED, DOT Compliant

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

