



SHOCKWAVE ALUMINUM RACE SHOCKWAVE FLAT TOP FLAT FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	F110216THFBRTA-100	F110218THFBRTA-100	F110220THFBRTA-100	F110222THFBRTA-100	F110224THFBRTA-100	F110226THFBRTA-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Double Hollow Aluminum Tube					
Tongue	6" x 2" Double Hollow Aluminum Triple Tube					
Crossmembers	Aluminum Tube, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Set-Back					
Wall Studs	Aluminum Tube, 16" On-Center					
Roof Bows	Aluminum Tube, 16" On-Center					
Front Profile	Flat					
Beavertail	32"					48"
Ramp(s)	16" Extension with Bullnose Cap, Aluminum with Assist					
Side Door	48" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Roof Vent Frame, Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Torsion Brake					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Aluminum					
Exterior Finish	.030" Aluminum					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop, Polished Cast Aluminum Roof Corners					
Stone Guard	24" ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Roof Cap	Brite Aluminum					
Interior Walls	9mm White Vinyl					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) 11" LED					
Switches	(1) Dome Light, 12V, (1) Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SHOCKWAVE ALUMINUM RACE SHOCKWAVE FLAT TOP FLAT FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Connector Plug	Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SHOCKWAVE ALUMINUM RACE SHOCKWAVE FLAT TOP FLAT FRONT 10K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34
Model #	FI10228THFBRTA-100	FI10230THFBRTA-100	FI10232THFBRTA-100	FI10234THFBRTA-100
CAPACITIES				
GVWR (lbs)	9900			
GAWR (lbs/axle)	5000			
CHASSIS				
Frame	8" x 2" Double Hollow Aluminum Tube			
Tongue	8" x 2" Double Hollow Aluminum Triple Tube			
Crossmembers	Aluminum Tube, 16" On-Center			
Coupler	2-5/16" A-Frame			
Safety Chains	DOT Compliant			
Tongue Jack	5K Set-Back			
Wall Studs	Aluminum Tube, 16" On-Center			
Roof Bows	Aluminum Tube, 16" On-Center			
Front Profile	Flat			
Beavertail	48"			
Ramp(s)	16" Extension with Bullnose Cap, Aluminum with Assist			
Side Door	48" Wide Flush Lock, Cast Aluminum Holdback			
Vents	Roof Vent Frame, Sidewall Airflow			
Fenders	Aluminum Treadplate			
Axle	(2) 5200 lb. Torsion Brake			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST225/75R15D 8-PR			
Wheels	15", 6-Hole Aluminum			
Exterior Finish	.030" Aluminum			
Exterior Fastening	VHB Bonded (Screwless)			
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop, Polished Cast Aluminum Roof Corners			
Stone Guard	24" ATP			
Rear Spoiler	9" Brite Aluminum Flare			
Roof	Flat Top Seamless Aluminum			
Roof Cap	Brite Aluminum			
Interior Walls	9mm White Vinyl			
Interior Trim	Extruded Aluminum Wall Transitions			
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves			
Flooring	3/4" Engineered Wood			
Interior Lights	(2) 11" LED			
Switches	(1) Dome Light, 12V, (1) Load Light, 12V			
Cargo Control	(4) 5000 lb. Recessed D-Rings			
Connector Plug	Round 7-pin Blade			
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights			

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SHOCKWAVE ALUMINUM RACE SHOCKWAVE FLAT TOP FLAT FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	F110216THFBRTA-070	F110218THFBRTA-070	F110220THFBRTA-070	F110222THFBRTA-070	F110224THFBRTA-070	F110226THFBRTA-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Double Hollow Aluminum Tube					
Tongue	6" x 2" Double Hollow Aluminum Triple Tube					
Crossmembers	Aluminum Tube, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Set-Back					
Wall Studs	Aluminum Tube, 16" On-Center					
Roof Bows	Aluminum Tube, 16" On-Center					
Front Profile	Flat					
Beavertail	32"					48"
Ramp(s)	16" Extension with Bullnose Cap, Aluminum with Assist					
Side Door	48" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Roof Vent Frame, Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Torsion Brake					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Aluminum					
Exterior Finish	.030" Aluminum					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop, Polished Cast Aluminum Roof Corners					
Stone Guard	24" ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Roof Cap	Brite Aluminum					
Interior Walls	9mm White Vinyl					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) 11" LED					
Switches	(1) Dome Light, 12V, (1) Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SHOCKWAVE ALUMINUM RACE SHOCKWAVE FLAT TOP FLAT FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Connector Plug	Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.