



SHOCKWAVE STACKER RACE SHOCKWAVE FLAT TOP FLAT FRONT 21K

	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34
Model #	FI10224THFBSRT-BP-210	FI10226THFBSRT-BP-210	FI10228THFBSRT-BP-210	FI10230THFBSRT-BP-210	FI10232THFBSRT-BP-210	FI10234THFBSRT-BP-210
CAPACITIES						
GVWR (lbs)	21000					
GAWR (lbs/axle)	7000					
CHASSIS						
Frame	8" x 2" Steel Tube					
Tongue	6" Extension, 8" x 2" Steel Triple Tube					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	8K Drop Leg, Set-Back, 8K Drop Leg, Set-Back					
Wall Studs	Steel 3" x 1" Tube, 16" On-Center					
Roof Bows	Steel Tube, 12" On-Center					
Front Profile	Flat					
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	48" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Extruded Aluminum					
Axle	(3) 7000 lb. Torsion Brake, Spread Axle Configuration					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Aluminum					
Exterior Finish	.040" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop, Polished Cast Aluminum Roof Corners					
Stone Guard	24" ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Roof Cap	Brite Aluminum					
Exterior Accessories	Bogey Wheels					
Interior Walls	9mm White Vinyl					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) 11" LED					
Switches	(1) Dome Light, 12V, (1) Load Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**SHOCKWAVE STACKER RACE
SHOCKWAVE FLAT TOP FLAT FRONT 21K**

	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34
Fixtures	Storage Loft					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights, Mid-Ship Turn Signals, Mid-Ship Turn Signals					
Hydraulic Components	14' 4-Post Auto Lift			16' 4-Post Auto Lift		
12v Electrical	12 Volt DC 24 Battery					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**SHOCKWAVE STACKER RACE
SHOCKWAVE FLAT TOP FLAT FRONT 24K**

	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34
Model #	FI10224THFBSRT-BP-240	FI10226THFBSRT-BP-240	FI10228THFBSRT-BP-240	FI10230THFBSRT-BP-240	FI10232THFBSRT-BP-240	FI10234THFBSRT-BP-240
CAPACITIES						
GVWR (lbs)	24000					
GAWR (lbs/axle)	8000					
CHASSIS						
Frame	8" x 2" Steel Tube					
Tongue	6" Extension, 8" x 2" Steel Triple Tube					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	8K Drop Leg, Set-Back, 8K Drop Leg, Set-Back					
Wall Studs	Steel 3" x 1" Tube, 16" On-Center					
Roof Bows	Steel Tube, 12" On-Center					
Front Profile	Flat					
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	48" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Extruded Aluminum					
Axle	(3) 8000 lb. Torsion Brake, Spread Axle Configuration					
Hubs	Oil Bath					
Breakaway	Battery, Switch, and Lanyard					
Tires	215/75R17.5J 18-PR					
Wheels	17.5", 8-Hole Aluminum					
Exterior Finish	.040" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop, Polished Cast Aluminum Roof Corners					
Stone Guard	24" ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Roof Cap	Brite Aluminum					
Exterior Accessories	Bogey Wheels					
Interior Walls	9mm White Vinyl					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) 11" LED					
Switches	(1) Dome Light, 12V, (1) Load Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**SHOCKWAVE STACKER RACE
SHOCKWAVE FLAT TOP FLAT FRONT 24K**

	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34
Fixtures	Storage Loft					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights, Mid-Ship Turn Signals, Mid-Ship Turn Signals					
Hydraulic Components	14' 4-Post Auto Lift			16' 4-Post Auto Lift		
12v Electrical	12 Volt DC 24 Battery					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

