



SUB-ZERO DELUXE ALUMINUM MOTORSPORT SUB-ZERO DELUXE FLAT TOP SLOPED V-NOSE 10K

	7.5 x 17	7.5 x 19	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27
Model #	FI9017TDSVA-100	FI9019TDSVA-100	FI9021TDSVA-100	FI9023TDSVA-100	FI9025TDSVA-100	FI9027TDSVA-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Double Hollow Aluminum Tube					
Tongue	6" x 2" Double Hollow Aluminum Triple Tube, Max Extension					
Crossmembers	Aluminum Tube, 16" On-Center					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	5K Set-Back					
Wall Studs	Aluminum Tube, 16" On-Center					
Roof Bows	Aluminum Tube, 16" On-Center					
Front Profile	60" Aero Wedge					
Ramp(s)	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback		36" Wide Flush Lock, Cast Aluminum Holdback			
Access Doors	(2) 14" x 14" Fuel					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Aluminum					
Exterior Finish	.030" Aluminum					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	9mm White Vinyl					
Interior Trim	3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions					
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) 11" LED					
Switches	(1) Dome Light, 12V, (2) Load Light, 12V					
Cargo Control	(9) 2.5K Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SUB-ZERO DELUXE ALUMINUM MOTORSPORT SUB-ZERO DELUXE FLAT TOP SLOPED V-NOSE 10K

	7.5 x 17	7.5 x 19	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27
Connector Plug	Round 7-pin Blade					
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**SUB-ZERO DELUXE ALUMINUM MOTORSPORT
SUB-ZERO DELUXE FLAT TOP SLOPED V-NOSE 10K**

	7.5 x 29	7.5 x 33	7.5 x 35	7.5 x 37
Model #	FI9029TDSVA-100	FI9033TDSVA-100	FI9035TDSVA-100	FI9037TDSVA-100
CAPACITIES				
GVWR (lbs)	9900			
GAWR (lbs/axle)	5000			
CHASSIS				
Frame	6" x 2" Double Hollow Aluminum Tube			
Tongue	6" x 2" Double Hollow Aluminum Triple Tube, Max Extension			
Crossmembers	Aluminum Tube, 16" On-Center			
Coupler	2-5/16" Adjustable			
Safety Chains	DOT Compliant			
Tongue Jack	5K Set-Back			
Wall Studs	Aluminum Tube, 16" On-Center			
Roof Bows	Aluminum Tube, 16" On-Center			
Front Profile	60" Aero Wedge			
Ramp(s)	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist			
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback			
Access Doors	(2) 14" x 14" Fuel			
Vents	Sidewall Airflow			
Fenders	Aluminum Treadplate			
Axle	(2) 5200 lb. Drop Spring Brake			
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST225/75R15D 8-PR			
Wheels	15", 6-Hole Aluminum			
Exterior Finish	.030" Aluminum			
Exterior Fastening	VHB Bonded (Screwless)			
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop			
Stone Guard	24" Sloped ATP			
Rear Spoiler	9" Flare			
Roof	Flat Top Seamless Aluminum			
Interior Walls	9mm White Vinyl			
Interior Trim	3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions			
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves			
Flooring	3/4" Engineered Wood			
Interior Lights	(2) 11" LED			
Switches	(1) Dome Light, 12V, (2) Load Light, 12V			
Cargo Control	(9) 2.5K Recessed D-Rings			
Connector Plug	Round 7-pin Blade			
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights			

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SUB-ZERO DELUXE ALUMINUM MOTORSPORT SUB-ZERO DELUXE FLAT TOP SLOPED V-NOSE 7K

	7 x 19	7 x 23	7 x 27	7 x 29	7.5 x 17	7.5 x 19
Model #	FI8419TDSVA-070	FI8423TDSVA-070	FI8427TDSVA-070	FI8429TDSVA-070	FI9017TDSVA-070	FI9019TDSVA-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	5" x 2" Double Hollow Aluminum Tube				6" x 2" Double Hollow Aluminum Tube	
Tongue	5" x 3" Double Hollow Aluminum Straight Tube, Max Extension				6" x 2" Double Hollow Aluminum Triple Tube, Max Extension	
Crossmembers	Aluminum Tube, 16" On-Center					
Coupler	2-5/16" Straight Demco				2-5/16" Adjustable	
Safety Chains	DOT Compliant					
Tongue Jack	2K Frame Mounted				5K Set-Back	
Wall Studs	Aluminum Tube, 16" On-Center					
Roof Bows	Aluminum Tube, 16" On-Center					
Front Profile	60" Sloped V-Nose with 6" Drop				60" Aero Wedge	
Ramp(s)	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback	36" Wide Flush Lock, Cast Aluminum Holdback			32" Wide Flush Lock, Cast Aluminum Holdback	
Access Doors	(2) 14" x 14" Fuel					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Aluminum					
Exterior Finish	.030" Aluminum					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	9mm White Vinyl					
Interior Trim	3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions					
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) 11" LED					
Switches	(1) Dome Light, 12V, (2) Load Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SUB-ZERO DELUXE ALUMINUM MOTORSPORT SUB-ZERO DELUXE FLAT TOP SLOPED V-NOSE 7K

	7 x 19	7 x 23	7 x 27	7 x 29	7.5 x 17	7.5 x 19
Cargo Control	(9) 2.5K Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SUB-ZERO DELUXE ALUMINUM MOTORSPORT SUB-ZERO DELUXE FLAT TOP SLOPED V-NOSE 7K

	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27	7.5 x 29	7.5 x 31
Model #	FI9021TDSVA-070	FI9023TDSVA-070	FI9025TDSVA-070	FI9027TDSVA-070	FI9029TDSVA-070	FI9031TDSVA-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Double Hollow Aluminum Tube					
Tongue	6" x 2" Double Hollow Aluminum Triple Tube, Max Extension					
Crossmembers	Aluminum Tube, 16" On-Center					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	5K Set-Back					
Wall Studs	Aluminum Tube, 16" On-Center					
Roof Bows	Aluminum Tube, 16" On-Center					
Front Profile	60" Aero Wedge					
Ramp(s)	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Access Doors	(2) 14" x 14" Fuel					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Aluminum					
Exterior Finish	.030" Aluminum					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	9mm White Vinyl					
Interior Trim	3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions					
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) 11" LED					
Switches	(1) Dome Light, 12V, (2) Load Light, 12V					
Cargo Control	(9) 2.5K Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SUB-ZERO DELUXE ALUMINUM MOTORSPORT SUB-ZERO DELUXE FLAT TOP SLOPED V-NOSE 7K

	7.5 x 33	7.5 x 35	7.5 x 37
Model #	FI9033TDSVA-070	FI9035TDSVA-070	FI9037TDSVA-070
CAPACITIES			
GVWR (lbs)	7000		
GAWR (lbs/axle)	3500		
CHASSIS			
Frame	6" x 2" Double Hollow Aluminum Tube		
Tongue	6" x 2" Double Hollow Aluminum Triple Tube, Max Extension		
Crossmembers	Aluminum Tube, 16" On-Center		
Coupler	2-5/16" Adjustable		
Safety Chains	DOT Compliant		
Tongue Jack	5K Set-Back		
Wall Studs	Aluminum Tube, 16" On-Center		
Roof Bows	Aluminum Tube, 16" On-Center		
Front Profile	60" Aero Wedge		
Ramp(s)	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist		
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback		
Access Doors	(2) 14" x 14" Fuel		
Vents	Sidewall Airflow		
Fenders	Aluminum Treadplate		
Axle	(2) 3500 lb. Drop Spring Brake		
Hubs	Easy Lube		
Breakaway	Battery, Switch, and Lanyard		
Tires	ST205/75R15C 6-PR		
Wheels	15", 5-Hole Aluminum		
Exterior Finish	.030" Aluminum		
Exterior Fastening	VHB Bonded (Screwless)		
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop		
Stone Guard	24" Sloped ATP		
Rear Spoiler	9" Flare		
Roof	Flat Top Seamless Aluminum		
Interior Walls	9mm White Vinyl		
Interior Trim	3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions		
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves		
Flooring	3/4" Engineered Wood		
Interior Lights	(2) 11" LED		
Switches	(1) Dome Light, 12V, (2) Load Light, 12V		
Cargo Control	(9) 2.5K Recessed D-Rings		
Connector Plug	Round 7-pin Blade		
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

